FAX: 6622248257

REDEIVED-WATER SUPPLY

2013 MAY 30 PM 12: 59

MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012 on of Ashland Public Water Supply Name DO5000 List PWS ID #s for all Community Water Systems included in this CCR The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDR. Please check all boxes that apply. Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) \Box Other Date(s) customers were informed: 5/09/2013 / / CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery Ø methods used Date Mailed/Distributed: 5 / 09 / 2013 CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL Date Emailed: As an attachment As text within the body of the email message X CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Southern Advocate. Date Published: 5 / 09 / 2013 CCR was posted in public places. (Attach list of locations) Date Posted: / / CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED): CERTIFICATION I hereby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. Name/Tille (President, Mayor, May be faxed to: (601)576-7800

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

, RECEIVED-WATER SUPPLY

CORRECTED COPY Revised 2012 Annual Drinking Water Quality Report" PWS ID# MS0050001 June 6, 2013

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is two wells. Our wells draw from the Upper Meridian Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Ashland have received a lower susceptibility ranking to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact John Childs at (662)-837-4847. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:00 P.M. at the Town Hall.

The Town of Ashland routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2012. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints

				TI	EST RESU	LTS		
Contaminant	Viola tion Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
				Disinfectants	& Disinfection	n By-Pı	roducts	
(There i	s convincii	ng evidenc	e that addition of a	disinfectant is	necessa	ry for con	trol of microbial contaminants.)
TTHM (total trihalomemethan es	N	*2008	1.23	No-range	Ррь	0	80	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	N	2012	.90	.45-1.21	Ppm	4	4	Water additive used to control microbes
				Inorga	nic Conta	mina	nts	
Arsenic	N	2011	2.3	No-range	Ppb	4	4	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production waste
Barium	N	2011	0.1671	0.0404-0.1671	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chromium	N	2011	.0048	.00150048	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
Copper	N	*2011	0.17	No-range	Ppm	1.3	AL=1.3	Corrosion of household plumbing systems; corrosion of natural deposits; leaching from wood preservatives
Selenium	N	2011	2.8	No-range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Fluoride	N	2011	1.33	0.105-1.33	Ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Lead	N	*2011	5.0,	No-range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

^{*}Most recent sample. No sample was required in 2012

Consumer Confidence Rule Violation

We did receive a CCR violation for the year of 2012; we failed to send it in on time. It has since been corrected.

*** A message from MSDH concerning radiological sampling ***

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Ms. State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSHD was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at (6010576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Ashland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from

the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. Please contact 601-576-7582 if you wish to have your water tested.

To comply with the Regulation Governing Fluoridation of Community Water Supplies, the Town of Ashland is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that the average fluoride sample results were within the optimal range of 0.7 - 1.3 ppm was 6. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 - 1.3 ppm was 46%.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Town of Ashland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead and copper testing for \$20. Please contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy at the by calling the Town Hall at 662-224-6282 if you have questions.

F	Proof of	Publication
he State of Mis		
Senton County		
ersonally appea	ared before me	a Notary Public in and
or said County a	and State, the c Tim Watson	
ho after being		poses and says that he is
ne Publisher of	the SOUTHER	N ADVOCATÉ, a newspaper
ublished in the	Town of Ashla	nd, in said County and
State, and that th		
	AL NOTI	
		ttached, was published for
	utive weeks in	sald
ewspaper as fo		DATE
OLUME	NO.	, .
07	21	5/9/2013
1		
······································		
n Ashland, Bent lear next preced nentioned legal	on County, Mis ling the first ins	er has been published ssissippi for more than one sertion of the above
īm Watson		
Sworn to and su	bscribed befor	e me this the
23 day o	f MAY	2013
Jotary Public, Bo Ny Commission	enton County, expires: 05/05	Mississippi /2013
		JESSICA L. DAVIS Commission Expires May 5, 2017

Printer's Fee \$__

We're pleased to present to you this year's Armual Water Quality Report. This report is designed to inform you about the quality mater and services we deliver to you every day. Our consumt goal is to provide you with a self- and dependable supply of dinking water. We want you to understand the afform we make to continuity improve the bester treatment process and protection water resources. We are compatitud to entiring the quality of your water. Our water source is two walls. Our wells draw from the Upper Meridian Aquifer.

The source water assessment has been completed for our public water system to determine the overall inscriptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been founded to our public water hystem and is available for viewing upon request. The wells for the Town of Ashland have received a lower susceptibility making to contembration.

I'm pleased to report that our diviking water meets all federal and state requirements

If you have any questions shout this report or concening your water utility, please connect John Childe it (662) 837-4847. We want our valued outsimers to be informed about their violet utility. If you want to learn more, please stands any of our regularly scheduled interings: They are field on the first Tuesday, of such month is 5:00 F.M. artist Town. Hall.

The Town of Arbland contingly monitory for constituents to your directing water according to Federal and State laws. This table shows the results of our monitoring for the period of January 12 to December 315, 2012. At water travels over the ladd or underground, a conjugate the period of January 12 to December 315, 2012. At water travels over the ladd or underground, a conjugate and organic confidences. All drinking water, including bottled drinking water, may be reasonably expected to contain at lossy total amounts of some constituents. It's important to remainted that the presence of time constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better suide stand these terms we've provided the following definitions:

Managem Contactions Live: The "Managem Alloyed" (MC) is the highest level of a contempor their elloyed MC is at set what the MCI (as a people using the best walled) transcript technology.

Madintari Contaninant Level Coul - The "Goal" (MCLO) is the level of a contaminant in delaying value before which Destrumo Japanese expected raid to health. MCLOs allow for a major of subby.

MRDL: Meatmen residual dishifteesper level. The highest level of a dishifteeshir allowed in dishiftee water. There is convicting a relation of a dishifteeshir is necessary for common of microbial consumers.

				10	ST RESU	LYS	**************************************	
Contaminant	Victor Host YAN	Dete: Collected	Lervi Dougle	Range of Deliver : or # of Gampiles : MCL/ACL	Unit Menduroneu	3400.0	MCL	Likely Source of Contamination
(4) 使光	Merci	convincii	ns eviduad	Districtants	de Dichstecti			not of milerobial constantings.
TTEM (total: trihalomensetisia m	W	*2009	125	Novemen	**************************************	0	80	By-product of drinking space childrentary
Chiarine (as 22) (ppm)	i N	2012	90	15-1-21	Ppro	47		Water additive used to control microbes
	^+ ÷ ,			Inorgai	nte Conti	enlac	uts	and the second second
Amenie	×		2	No singe	Рры	4	*); **:	Brooker of natural deposite mostly from archardic reconfliction glass and materials perfection was
Section .	N	2010	046	ylo-unita	Pom	2	* /	Discharge of chilling waters declarge from ment refineries crossing of powers deposits
Cothex	8.5	*2008	1 1	Хочна ва	Ppm	Ę,3	AL-TJ.	Convoice of household planting systems contains of natural deposits learning from wood preservative
fuorido	N.	201i	(.33	ď.	5 BKm	* *	4 11.54	Receion of natural deposits; were addition; which promotes strong seeds, discharge their desillater and alterniment flexions.
and .	N.	#2008	. 12	No-runge :	pnb	G.	AL-15	Corresion of boosebole planting systems.

Most recent sample: No sample was regulied in 2012

Consumer Confidence Rule Violation

We did receive a CCR violation for the year of 2012, we failed to send it in on time. It has since been corrected.

To comply with the Regulation Governing Fluoridation of Community Water Supplies, the Town of Ashland is required to record certain require pertaining to fluoridation of our water system. The immobes of mountain the previous calcular year that the systems fluoride samples completely event within the optimal mage of 0.7 - 1.3 ppus was 6.76. The percentage of theoride samples collected in the previous calcular year that was within the optimal range of 0.7 - 1.3 ppus was 46%.

*** A message from MSDH concerning radiological sampling ***

In accordance with the Radionaclides Rule, all community public water supplies were required to sample quarterly for radionaclides beginning farmary 2007. December 2007. Your public water supply complicate sampling by the standard deadline; however, during an audit of the Mes State Department of Health Radiological Health Information; the Environmental Protection Agency (PPA) inspended analyses and reporting of radiological compliance sample, and results until further minus. Although this was not the result of fraction by the publication supply. MSTD has required to insteady about a compliance with the Radionaclides Rule. If you have any questions, please course Karen Walters, Director of Compliance & Inforcement, Bursan of Public Water Supply, at (6010576-7518.

***Additional Information for Leading

If present, elevated levels of lead our cause scrious health problems; especially for pregnant women and young children. Lead in drinking water is unmurally from materials und components associated with service lines and home

MAY-30-2013 THU 09:57 TOWNOFASHLAND FAX: 6622248257 P. 002/006

"2012 Annual Drinking Water Quality Report" Town of Ashland PWS ID# MS0050001 May 2, 2013

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is two wells. Our wells draw from the Upper Meridian Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Ashland have received a lower susceptibility ranking to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact John Childs at (662)-837-4847. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:00 P.M. at the Town Hall.

The Town of Ashland routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2012. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

				TI	EST RESU	LT\$		
Contaminant	Viola tion Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement		MCL	Likely Source of Contamination
				Disinfectants	& Disinfection	n By-Pi	roducts	
(There i	s convinci	ng evidenc	e that addition of a		necessa	ry for con	trol of microbial contaminants.)
TTHM (total trihalomemethan cs	N	*2009	1.23	No-range	Ppb	0	80	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	N	2012	.90	.45-1.21	Ppm	4	4	Water additive used to control microbes
				Inorga	nic Conta	mina	nts	
Arsenio	И	*2008	1.2	No-range	Ppb	4	4	Erosion of natural deposits; runoff from orohards; runoff from glass and electronics production waste
Barium	N	*2010	.046	No-range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Copper	N	*2008	,4	No-range	Ppm	1.3	AL=1.3	Corresion of household plumbing systems; corresion of natural deposits; leaching from wood preservatives
Fluoride	N	2011	1.33	Ö	Ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Lead	N	*2008	12	No-range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

^{*}Most recent sample. No sample was required in 2012

Consumer Confidence Rule Violation

We did receive a CCR violation for the year of 2012; we failed to send it in on time. It has since been corrected.

To comply with the Regulation Governing Fluoridation of Community Water Supplies, the Town of Ashland is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that the average fluoride sample results were within the optimal range of 0.7 - 1.3 ppm was 6. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 - 1.3 ppm was 46%.

*** A message from MSDH concerning radiological sampling ***

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Ms. State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSHD was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at (6010576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Ashland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. Please contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy at the by calling the Town Hall at 662-224-6282 if you have questions.

2013 JUL -3 AM 10: 21

ALDERMEN Sandra Gresham Fort Knighton Bobby Miller Billy Taylor Shannon Wilburn

MUNICIPAL JUDGE

Bart Adams

MUNICIPAL ATTORNEY John S. Farese

TOWN OF ASHLAND

MITCH CARROLL, Mayor

TOWN CLERK Leigh Norris TOWN SUPT. Charies Former FIRE CHIEF Chris Shoup CHIEF OF POLICE Jim Hammer

ASELAND WATER & GAS BOX 246 ASHLAND, MS 38603

#203725.00 42 EAST ST

THIS BILL IS NOW DUE AND PAYABLE

Billing Date: 6/15/13 Relading usage Charge 1500 \$93600 VA. SW WS

45.20 Pay Now: 49.72 Pay After 7/10/13

CCR REPORT CORRECTED AVAIABLE upon REQUEST

First Class Mail U.S. Postage springfield paid one ounce X l Permit No.916 \$2707

Please return this side with payment to: ASHLAND WATER &

Pay Now: After 7/10/13:

#203725.00

TOMMY & JUDY MCMULLEN 42 EAST ST ASHLAND, MS 38603

Post Office Box 246, Ashland, MS 38603 • Phone: 662-224-6282 • Fax: 662-224-8257 www.ashland.ms